




Database Programming with SQL

7-1

Oracle Equijoin and Cartesian Product



Objectives

In this lesson, you will learn to:

- Name the Oracle proprietary joins and their ANSI/ISO SQL: 99 counterparts
- Construct and execute a SELECT statement that results in a Cartesian product
- Construct and execute SELECT statements to access data from more than one table using an equijoin
- Construct and execute SELECT statements that add search conditions using the AND operator
- Apply the rule for using table aliases in a join statement

Purpose

- The previous section looked at querying and returning data from more than one table in a relational database using ANSI/ISO SQL: 99 syntax.
- Legacy versions of Oracle databases required joins to use Oracle Proprietary join syntax, and many of these older databases are still in use.
- This lesson introduces Oracle Proprietary join syntax for Equijoins and Cartesian Product, and their ANSI/ISO SQL: 99 counterparts.

Join Commands

- The two sets of commands or syntax which can be used to make connections between tables in a database:
 - Oracle proprietary joins
 - ANSI/ISO SQL: 99 compliant standard joins



Join Comparison

- Comparing Oracle Proprietary Joins with ANSI/ISO SQL: 1999 Joins

Oracle Proprietary Join	ANSI/ISO SQL: 1999 Equivalent
Cartesian Product	Cross Join
Equijoin	NATURAL JOIN JOIN USING clause JOIN ON clause (if the equality operator is used)
Non-equijoin	ON clause

ORACLE Proprietary Joins

- To query data from more than one table using the Oracle proprietary syntax, use a join condition in the WHERE clause.
- The basic format of a join statement is:

```
SELECT table1.column, table2.column  
FROM table1, table2  
WHERE table1.column1 = table2.column2;
```

ORACLE Proprietary Joins

- Imagine the problem arising from having two students in the same class with the same last name.
- When needing to speak to "Jackson," the teacher clarifies which "Jackson" by prefacing the last name with the first name.
- To make it easier to read a Join statement and to speed up database access, it is good practice to preface the column name with the table name.

```
SELECT table1.column, table2.column  
FROM table1, table2  
WHERE table1.column1 = table2.column2;
```


ORACLE Proprietary Joins

- This is called "qualifying your columns."
- The combination of table name and column name helps eliminate ambiguous names when two tables contain a column with the same column name.
- When the same column name appears in both tables, the column name must be prefaced with the name of the table.

Join Syntax Example

- To qualify the columns, you use the syntax `tablename.columnname` as shown in the example below.

```
SELECT table1.column, table2.column  
FROM table1, table2  
WHERE table1.column1 = table2.column2;
```

EQUIJOIN

- Sometimes called a "simple" or "inner" join, an equijoin is a table join that combines rows that have the same values for the specified columns.
- An equijoin is equivalent to ANSI:
 - NATURAL JOIN
 - JOIN USING
 - JOIN ON (when the join condition uses "=")
- The next slide demonstrates the what, where and how required to join the tables.

EQUIJOIN

- What? The SELECT clause specifies the column names to display.
- Where? The FROM clause specifies the tables that the database must access, separated by commas.
- How? The WHERE clause specifies how the tables are to be joined.
- An Equijoin uses the equals operator to specify the join condition.

EQUIJOIN

```
SELECT employees.last_name, employees.job_id, jobs.job_title
```

What?

```
FROM employees, jobs
```

Where?

```
WHERE employees.job_id = jobs.job_id;
```

How?

LAST_NAME	JOB_ID	JOB_TITLE
Gietz	AC_ACCOUNT	Public Accountant
Higgins	AC_MGR	Accounting Manager
Whalen	AD_ASST	Administration Assistant
King	AD_PRES	President
Kochhar	AD_VP	Administration Vice President
De Haan	AD_VP	Administration Vice President
Ernst	IT_PROG	Programmer
Hunold	IT_PROG	Programmer
...

EQUIJOIN

- Another example:

```
SELECT employees.last_name, departments.department_name  
FROM employees, departments  
WHERE employees.department_id = departments.department_id;
```

LAST_NAME	DEPARTMENT_NAME
Whalen	Administration
Hartstein	Marketing
Fay	Marketing
Davies	Shipping
Vargas	Shipping
Rajs	Shipping
Mourgos	Shipping
...	...

Cartesian Product Join

- If two tables in a join query have no join condition specified in the WHERE clause or the join condition is invalid, the Oracle Server returns the Cartesian product of the two tables.
- This is a combination of each row of one table with each row of the other.
- A Cartesian product is equivalent to an ANSI CROSS JOIN.
- To avoid a Cartesian product, always include a valid join condition in a WHERE clause.

Cartesian Product Join

- In this query, the join condition has been omitted:

```
SELECT employees.last_name, departments.department_name  
FROM employees, departments;
```

LAST_NAME	DEPARTMENT_NAME
Abel	Administration
Davies	Administration
De Haan	Administration
Ernst	Administration
Fay	Administration
Gietz	Administration
Grant	Administration
...	...

160 rows returned in 0.01 seconds

Restricting Rows In a Join

- As with single-table queries, the WHERE clause can be used to restrict the rows considered in one or more tables of the join.
- The query shown uses the AND operator to restrict the rows returned.

```
SELECT employees.last_name, employees.job_id, jobs.job_title
FROM employees, jobs
WHERE employees.job_id = jobs.job_id
AND employees.department_id = 80;
```

LAST_NAME	JOB_ID	JOB_TITLE
Zlotkey	SA_MAN	Sales Manager
Taylor	SA_REP	Sales Representative
Abel	SA_REP	Sales Representative

Aliases

- Working with lengthy column and table names can be cumbersome.
- Fortunately, there is a way to shorten the syntax using aliases.
- To distinguish columns that have identical names but reside in different tables, use table aliases.
- A table alias is similar to a column alias; it renames an object within a statement.
- It is created by entering the new name for the table just after the table name in the from-clause.

Table Aliases

- Table aliases are used in the query below.

```
SELECT last_name, e.job_id, job_title
FROM employees e, jobs j
WHERE e.job_id = j.job_id
AND department_id = 80;
```

LAST_NAME	JOB_ID	JOB_TITLE
Zlotkey	SA_MAN	Sales Manager
Taylor	SA_REP	Sales Representative
Abel	SA_REP	Sales Representative

- When column names are not duplicated between two tables, you do not need to add the table name or alias to the column name.

Table Aliases

- If a table alias is used in the FROM clause, then that table alias must be substituted for the table name throughout the SELECT statement.
- Using the name of a table in the SELECT clause that has been given an alias in the FROM clause will result in an error.


```
SELECT last_name, employees.job_id, job_title  
FROM employees e, jobs j  
WHERE e.job_id = j.job_id  
AND department_id = 80;
```



ORA-00904: "EMPLOYEES"."JOB_ID": invalid identifier

Join Syntax Example

- If you wanted to join three tables together, how many joins would it take?
- How many bridges are needed to join three islands?
- To join three tables, you need to add another join condition to the WHERE clause using the AND operator



Join Syntax Example

- Suppose we need a report of our employees and the city where their department is located?
- We need to join three tables: employees, departments and locations.

```
SELECT last_name, city
FROM employees e, departments d, locations l
WHERE e.department_id = d.department_id
      AND d.location_id = l.location_id
```

LAST_NAME	CITY
Abel	Oxford
Davies	South San Francisco
De Haan	Seattle
Ernst	Southlake
...	...

Terminology

Key terms used in this lesson included:

- Alias
- Cartesian Product
- Equijoin
- Join Conditions
- Proprietary Join

Summary

In this lesson you have learned to:

- Name the Oracle proprietary joins and their ANSI/ISO SQL: 99 counterparts
- Construct and execute a SELECT statement that results in a Cartesian product
- Construct and execute SELECT statements to access data from more than one table using an equijoin
- Construct and execute SELECT statements that add search conditions using the AND operator
- Apply the rule for using table aliases in a join statement

